# Freeform Search

Database	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins				
Term:	(voltage near3 ((ram or cache or (random\$2 near2 access)) same (flash or eprom or eeprom)))				
Display:	10 Documents in <u>Display Format</u> : - Starting with Number 1				
Generate	Generate: C Hit List @ Hit Count C Side by Side C Image				
000000	Search Clear Interrupt				

# DATE: Friday, May 13, 2005 Printable Copy Create Case

Search History

Set Name side by side	Query	Hit Count	<u>Set</u> <u>Name</u> result set
DB=P	PGPB,USPT; PLUR=YES; OP=OR		
<u>L10</u>	(voltage near3 ((ram or cache or (random\$2 near2 access)) same (flash or eprom or eeprom)))	9	<u>L10</u>
<u>L9</u>	(voltage near3 ((ram or cache or volatile) same (flash or eprom or eeprom)))	43	<u>L9</u>
<u>L8</u>	(voltage near3 ((ram or cache or volatile) and (flash or eprom or eeprom)))	317	<u>L8</u>
<u>L7</u>	(voltage near4 ((ram or cache or volatile) and (flash or eprom or eeprom)))	567	<u>L7</u>
<u>L6</u>	(voltage near3 level\$1 near3 ((ram or cache or volatile) and (flash or eprom or eeprom)))	7	<u>L6</u>
<u>L5</u>	L4 and (voltage near3 level\$1 near3 ((ram or cache or volatile) and (flash or eprom or eeprom)))	1	<u>L5</u>
<u>L4</u>	711/\$.ccls.	24503	<u>L4</u>
<u>L3</u>	L2 and voltage	1	<u>L3</u>
<u>L2</u>	20020120820.pn.	1	<u>L2</u>
DB=U	JSPT; PLUR=YES; OP=OR		

<u>L1</u> 6272587.pn.

1 <u>L1</u>

**END OF SEARCH HISTORY** 

# Refine Search

#### Search Results -

Terms	Documents
L25 and instruction\$1	1

	US Pre-Grant Publication Full-Text Database	
	US Patents Full-Text Database	
	US OCR Full-Text Database	
Database:	EPO Abstracts Database	
	JPO Abstracts Database	
	Derwent World Patents Index	
	IBM Technical Disclosure Bulletins	
	1.26	
Search:	1120	

Recall Text

Sear

 _	TE COCCOCCENTANTER PROPERTY AND CONTRACTOR PROPERTY.
Clear	Interrupt

#### **Search History**

#### DATE: Friday, May 13, 2005 Printable Copy Create Case

	Query	<u>Hit</u> Count	<u>Set</u> <u>Name</u>
side by side	•		result set
DB=	PGPB,USPT; PLUR=YES; OP=OR		
<u>L26</u>	L25 and instruction\$1	1	<u>L26</u>
<u>L25</u>	6272587.pn.	1	<u>L25</u>
<u>L24</u>	11 and ((external\$2 near3 terminal) same (terminal near2 internal))	1	<u>L24</u>
<u>L23</u>	11 and ((external\$2 near3 terminal) same (second near2 internal))	0	<u>L23</u>
<u>L22</u>	11 and terminal	1	<u>L22</u>
<u>L21</u>	L13 and (((cop\$4 or mov\$3) with(volatile or ram or dram) with(non-volatile or non-volatile or flash or rom)) with between)	12	<u>L21</u>
<u>L20</u>	L13 and (((cop\$4 or mov\$3) near3 (volatile or ram or dram) near3(non-volatile or non-volatile or flash or rom)) with between)	2	<u>L20</u>
<u>L19</u>	L13 and (((cop\$4 or mov\$3) near3 (volatile or ram or dram) near3(non-volatile or non-volatile or flash or rom)) with from)	0	<u>L19</u>
<u>L18</u>	L13 and ((cop\$4 or mov\$3) near3 from near3 (volatile or ram or dram) near3 (non-volatile or non-volatile or flash or rom))	0	<u>L18</u>

<u>L17</u>	L13 and ((cop\$4 or mov\$3) near3 (volatile or ram or dram) near3(non-volatile or non-volatile or flash or rom))	74	<u>L17</u>
<u>L16</u>	L13 and ((cop\$4 or mov\$3) with(volatile or ram or dram) with (non-volatile or non-volatile or flash or rom) with bus)	8	<u>L16</u>
<u>L15</u>	L13 and ((cop\$4 or mov\$3) with(volatile or ram or dram) with (non-volatile or non-volatile or flash or rom))	203	<u>L15</u>
<u>L14</u>	L13 and ((cop\$4 or mov\$3) same (volatile or ram or dram) same (non-volatile or non-volatile or flash or rom))	324	<u>L14</u>
<u>L13</u>	711/103,104,105.ccls.	2543	<u>L13</u>
<u>L12</u>	110 and (cop\$4 or mov\$3)	1	<u>L12</u>
<u>L11</u>	(3906457  4818932  4847758  4961172  5001671  5226010  5386579  5404464  5606714  5652847  5655142  5664140  5680567  5682498  5813038  6026466  6209049)![pn]	17	<u>L11</u>
<u>L10</u>	6480929.pn.	. 1	<u>L10</u>
<u>L9</u>	6408929.pn.	1	<u>L9</u>
<u>L8</u>	13 and ((ram or dram) with rom with port with bus)	6	<u>L8</u>
<u>L7</u>	6480929.pn.	1	<u>L7</u>
<u>L6</u>	L3 and ((multipl\$5 or plural\$3) with bus\$2 with volatile with (non-volatile or nonvolatile))	5	<u>L6</u>
<u>L5</u>	L3 and (second with bus with (disk or disc or dasd)) and (first with bus with (ram or dram or sram))	7	<u>L5</u>
<u>L4</u>	L3 and (first with bus with (disk or disc or dasd)) and (second with bus with (ram or dram or sram))	1	<u>L4</u>
<u>L3</u>	711/112,104,105.ccls.	2696	<u>L3</u>
<u>L2</u>	L1 and arbiter	.0	<u>L2</u>
<u>L1</u>	20020120820.pn	1	<u>L1</u>

### **END OF SEARCH HISTORY**

# Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins		
Term:	memory near5 (vccq or vccf) near5 voltag\$2		
	Documents in <u>Display Format</u> : TI Starting with Number 1  C Hit List © Hit Count C Side by Side C Image		
	Search Clear Interrupt		
Search History			

### DATE: Friday, May 13, 2005 Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> Count	<u>Set</u> <u>Name</u> result set
DB=P	GPB; PLUR=YES; OP=OR		
<u>L6</u>	memory near5 (vccq or vccf) near5 voltag\$2	4	<u>L6</u>
<u>L5</u>	memory near5 (vio or dq) near5 voltag\$2	10	<u>L5</u>
<u>L4</u>	memory near2 (vio or dq)near2 voltag\$2	0	<u>L4</u>
DB=P	GPB,USPT; PLUR=YES; OP=OR		
<u>L3</u>	11 or 12	33	<u>L3</u>
DB=P	GPB; PLUR=YES; OP=OR		
<u>L2</u>	memory near2 ("I/O" or "input/output" or "i-o" or "input-output") near2 voltag\$2	15	<u>L2</u>
DB=U	ISPT; PLUR=YES; OP=OR		
<u>L1</u>	memory near2 ("I/O" or "input/output" or "i-o" or "input-output") near2 voltag\$2	18	<u>L1</u>

#### **END OF SEARCH HISTORY**